

PRODUCT-DETAILS

# ACS310-03E-26A8-2

## ACS310-03E-26A8-2 Pn 5,5, I2n 26,8A IP20



### Información General

Global Commercial Alias	ACS310-03E-26A8-2
Código de producto	3AUA0000039622
ABB Type Designation	ACS310-03E-26A8-2
EAN	6410038785680
Descripción corta	ACS310-03E-26A8-2 Pn 5,5, I2n 26,8A IP20
Descripción larga	The ACS310 drives are designed for squared torque applications such as booster pumps and supply and return fans. The drive includes a powerful and beneficial set of features designed for pump and fan applications. These features include built-in PID controllers and pump and fan control (PFC) that varies the drive's performance in response to changes in pressure, flow or other external data.

### Clasificación

Country of Origin	China (CN) Finland (FI)
Código arancelario	85044084
Invoice Description	ACS310-03E-26A8-2 Pn 5,5, I2n 26,8A IP20
Made To Order	No
Cantidad mínima de pedido	1 piece
Order Multiple	1 piece
Quote Only	No
Selling Unit of Measure	piece

## Dimensiones

Peso del product	3.6 kg
Alto del producto	344 mm
Product Net Length	217 mm
Ancho del product	226 mm
Embalaje Nivel 1 Unidades	0 carton

## Technical

Number of Phases	3
Grado de protección	IP20
Enclosure Type NEMA	Open Type
Frequency (f)	50/60 Hz
Input Voltage ( $U_{in}$ )	200 ... 240 V
Mounting Type	Module for cabinet building
Communication Protocol	MODBUS
Number of Hardware Interfaces	Industrial Ethernet 0 PROFINET 0 RS-232 1 RS-422 0 RS-485 1 Serial TTY 0 USB 0 Parallel 0 Other 1
Includes	With control unit Without optical interface With PC connection
Analog Inputs	2
Analog Outputs	1
Number of Digital In/Outputs	5/1
Output Current, Light-Overload Use	24.4 A
Output Current, Normal Use	26.8 A
Output Power, Light-Overload Use	5.5 kW
Output Power, Normal Use	5.5 kW
Apparent Power Output	11 kV·A
Efficiency Level	IE2
Standby Loss	9 W
Complete Drive Module Efficiency (61800-9-2)	

Operating Point Frequency / Current	Absolute Loss	Relative Loss	Efficiency
0 / 25 %	113 W	1.1 %	83.3 %
0 / 50 %	149 W	1.4 %	88.0 %
0 / 100 %	270 W	2.5 %	89.0 %
50 / 25 %	121 W	1.1 %	90.7 %
50 / 50 %	165 W	1.5 %	93.2 %
50 / 100 %	307 W	2.9 %	93.7 %
90 / 50 %	189 W	1.8 %	95.6 %
90 / 100 %	365 W	3.4 %	95.7 %

Temperature Rating	Maximum 40 °C
--------------------	---------------

---

## Información Adicional

---

Product Main Type	ACS310
Product Name	Frequency converter

---

---

## Clasificaciones

---

Product Series	ACS310
ETIM 7	EC001857 - Frequency converter =< 1 kV
UNSPSC	39122001

---

---

## Ambiente

---

SCIP	5aaf19a2-b532-483d-9fe2-2a3c91c31cbd Finland (FI)
Categoría RAEE	5. Small Equipment (No External Dimension More Than 50 cm)

---

---

## Categorías

---

Convertidores de frecuencia → Convertidores de frecuencia de baja tensión de CA → Convertidores de frecuencia de propósito general  
ABB → ACS310 - Drive module for pumps and fans

